Reply Under 37 CFR 1.116 **Expedited Procedure Technology Center 3762**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Confirmation No. Appl. No. 10/560.289 3187

: MicroMed Applicant Benkowski, R.J. Assianee Technology, Inc.

Filed May 26, 2006

> Title Method and System

> > Pump

TC/A.U. 3762 for Physiologic Control of a Blood

Examiner Naravanaswamy, S.

Docket No. 0021906-024US

Customer No. : 22904

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT AFTER FINAL OFFICE ACTION

Sir

In response to the Final Office Action mailed on August 19, 2010, please amend the subject application as set forth herein pursuant Rule 116(b)(2) & (3). This Amendment is filed within two (2) months of the mailing date of the Office Action and, therefore, a timely Advisory Action is earnestly solicited. Furthermore, because this Office Action was improperly made final, Assignee respectfully requests the finality thereof to be withdrawn.

Reconsideration and allowance of this application is respectfully requested in light of the arguments and amendments presented herein.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims beginning on page 4.

Assignee's Remarks/Arguments begin on page 6 of this paper.